



Glynn County Engineering Services Department
1725 Reynolds St., Suite 200
Brunswick, GA 31520
912 554-7428

DRV

Driveway Construction Permit Application

NOTE: All information below must be completed and the application submitted with a detailed drawing noting distances from nearest driveway/roadway and property corners on either side of the new driveway. No single residential property shall have more than two (2) driveways/curb cuts with a maximum combined width of forty (40) feet.

Construction Address 	Applicant Or Agent Name _____ Contact _____ Address _____ Phone: _____ Email: _____
Owner Name _____ Contact _____ Address _____ Phone: _____ Email: _____	Contractor Name _____ Contact _____ Address _____ Phone: _____ Email: _____

Estimated Start Date: _____ Estimated Completion Date: _____

Number of Driveways: _____ Surface: Stone Concrete Asphalt Dirt Other
(2 maximum)

Driveway Surface Width: _____ ft


Pipe Size: 15 18 24 32 48 64

Pipe Length: _____ ft Type: HDPE RCP

Owner/Authorized Agent Signature


Date

TYPICAL DRIVEWAY PIPE INSTALLATION DETAIL FOR INSTALLATION OF DRIVEWAY PIPES IN ROAD RIGHT-OF-WAY



HEIGHT OF FILL (H)	1.75-FT**	2.7-FT	3.0-FT	3.5-FT	4.0-FT	4.5-FT	5.0-FT	5.5-FT	6.0-FT	7.0-FT
MIN. PIPE LENGTH (L)*	29-FT	33-FT	34-FT	36-FT	38-FT	40-FT	42-FT	44-FT	46-FT	50-FT

* ASSUMES A 20-FT DRIVEWAY (W)
** REQUIRES RCP



HEIGHT OF FILL (H)	1.75-FT**	2.7-FT	3.0-FT	3.5-FT	4.0-FT	4.5-FT	5.0-FT	5.5-FT	6.0-FT	7.0-FT
MIN. PIPE LENGTH (L)*	23-FT	25-FT	26-FT	28-FT	30-FT	32-FT	34-FT	36-FT	38-FT	42-FT

* ASSUMES A 20-FT DRIVEWAY (W) AND A 15-INCH PIPE (D)
** REQUIRES RCP

- NOTE:
1. ALL JOINTS ARE TO BE FILTER FABRIC WRAPPED PER THE DESIGN AND PHYSICAL REQUIREMENTS SECTION OF THE STORMWATER LOCAL DESIGN MANUAL.
 2. HIGH DENSITY POLYETHYLENE (HDPE) PIPE CAN BE USED ONLY IF THE MINIMUM COVER REQUIREMENTS LISTED IN TABLE-A OF THE STORMWATER LOCAL DESIGN MANUAL ARE MET.
 3. DRIVEWAY PIPE INSTALLATIONS NOT ADDRESSED WITH THIS DETAIL MAY BE APPROVED AT THE DESCRESSION OF THE GLYNN COUNTY PUBLIC WORKS DEPARTMENT DIRECTOR (OR DESIGINEE).

LAST REVISED: 13 JULY 2004